The floor for an atmosphere



ARMSTRONG'S RUBBER TILE

PREMIUM QUALITY - REINFORCED FOR LONGER WEAR



For luxurious

Distinctive homes gain extra beauty from the color, graining, and textured appearance of Armstrong's Rubber Tile. Its

durability makes it a practical floor, too.



Ideal for bathrooms, Armstrong's Rubber Tile is splashproof, wipes up quickly. Dirt just won't cling to the gleaming,

✓ mirror-smooth surface of this floor.

floors of exceptional durability—choose

ARMSTRONG'S RUBBER TILE

When you're looking for a floor that will give your home or place of business a special look of elegance, Armstrong's Rubber Tile is the perfect choice. It's also a practical choice. Reinforced both chemically and physically to provide resistance to cooking oils and greases, and to insure longer wear, Armstrong's

Rubber Tile will give many years' service without losing its beauty. The extra durability of Armstrong's Rubber Tile results from the premium quality ingredients used in its formulation, precise control of critical manufacturing processes, and an exclusive reinforcement of tough fibrous filaments.


outstanding beauty. Clear, rich coloring and sharply defined graining make Armstrong's Rubber Tile exceptionally beautiful. The lustrous sheen of this floor adds to its unusually luxurious appearance. Highly skilled hand-controlled manufacturing techniques produce exceptional clarity and depth in a range of colors styled to harmonize with any decorative scheme.

EXTRA DURABILITY. Even concentrated traffic will not affect the beauty of Armstrong's Rubber Tile. Colors go all the way through each tile, won't wear off or lose their clarity. This tough, rugged floor will take furniture loads up to 200 pounds per square inch without indenting.


UNDERFOOT COMFORT. The natural resilience of high-quality rubber is retained in Armstrong's Rubber Tile. Its cushioning action makes this floor comfortable to stand or walk on, lessens fatigue, and muffles the sound of footsteps.

MODERATE COST. Armstrong's Rubber Tile looks far more expensive than it actually is. For many years, it has been used widely in fine homes, department stores, exclusive shops, executive offices, and institutional buildings. Today, manufacturing refinements and increased volume of production have kept down the cost of this luxury floor so that it is widely popular for use in moderate priced homes as well.

Modern Commercial Interiors take on new smartness with Armstrong's Rubber Tile. The glistening surface of this floor lends a sparkling freshness to the decorating scheme.



These beautiful colors in Armstrong's Rubber Tile make it easy to design a distinctive floor



Specially cut strips of contrasting colors or decorative insets representing insignia, trademarks, and monograms can be used to add individuality to floors of Armstrong's Rubber Tile. It's an inexpensive way to add extra interest.



*Jade Green White No. 652



*True Blue White No. 676



Chartreuse No. 646





Colors marked (*) available in 3/32" gauge.

Quiet, dignified atmosphere required in banks, libraries, churches, and courtrooms is enhanced by the elegance of Armstrong's Rubber Tile. The resilience of this floor substantially reduces the clatter of footsteps.



◆Grease resistance, along with the beauty, durability, and exceptional resilience of Armstrong's Rubber Tile, makes it an excellent choice for residential kitchen floors.

Now you

can choose

Armstrong's

Rubber Tile

for rooms with

grade-level

floor slabs


Today, it is possible to enjoy the beauty and luxury of Armstrong's Rubber Tile in basement-less buildings as well as on suspended floors. A special Armstrong adhesive makes this possible. Before the development of this adhesive through Armstrong research, rubber tile was not recommended for use over grade-level concrete. The alkaline moisture in such subfloors attacked and

destroyed the bonding qualities of ordinary adhesives. Armstrong's Rubber Tile is also compounded especially to resist the harmful effect of alkaline moisture. Although Armstrong's Rubber Tile may now be used on grade-level concrete slabs, it is not recommended for basement floors or other areas where unusually severe moisture conditions exist.

Limitless floor design possibilities



These four floor designs give you just a hint of the design flexibility of Armstrong's Rubber Tile. You can combine colors in almost any pattern you wish because this floor goes down in individual blocks. Armstrong's floor stylists have created the colors in Armstrong's Rubber Tile especially so that they harmonize with each other. With Armstrong's Rubber Tile you can have a completely individual and original floor that reflects your tastes and ties in with your room's decorating scheme.



for easy floor care . . .



Armstrong's
Top-Set Rubber Cove Base
provides a handsome trim for
the floor at the wall line and
eliminates dirt-catching joints
and corners. Made in lustrous
black and five marbleized colors,
4" and 6" high, 36" long.
Molded corners and end pieces
are available.



Armstrong's maintenance accessories




make cleaning easier. Armstrong's Liquid Cleaner removes traffic marks and dirt film quickly. Armstrong's Linogloss® is a self-polishing wax that's especially formulated to give a durable finish to all types of resilient floors.






Protect your floor with Armstrong's Furniture Rests on the legs of chairs, tables, and fixtures. By distributing the weight, they keep furniture from indenting the floor.



In any fine interior, a floor of Armstrong's Rubber Tile provides a rich background for furnishings. The colorful beauty and rich graining of this beautiful floor can be heightened by border treatments or custom styling. Floor maintenance is simplified because the lustrous surface of Armstrong's Rubber Tile is easy to keep clean, even under heavy traffic.



SPECIFICATION DATA

Sizes and gauges

 $6'' \times 6''$, $9'' \times 9''$, $12'' \times 12''$, $18'' \times 36''$; $\frac{3}{32}''$, $\frac{1}{8}''$, and $\frac{3}{16}''$ thick.

Feature strips

1", 2" and 3" wide; 36" long.


Special sizes

Diagonal half tiles and irregular shapes can be supplied.

Installation:

Armstrong's Rubber Tile can be installed over new grade-level concrete subfloors and over all types of suspended subfloors.

Frey & Son 1000 North Prince St. Lancaster, Pa.



In any fine interior, a floor of Armstrong's Rubber Tile provides a rich background for furnishings. The colorful beauty and rich graining of this beautiful floor can be heightened by border treatments or custom styling. Floor maintenance is simplified because the lustrous surface of Armstrong's Rubber Tile is easy to keep clean, even under heavy traffic.

Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:

Mike Jackson, FAIA

Frey & Son 1000 North Prince St. Lancaster, Pa.

SPECIFICATION DATA

Sizes and gauges

6" x 6", 9" x 9", 12" x 12", 18" x 36"; $^{3}3_{2}$ ", $^{1}8$ ", and $^{3}1_{6}$ " thick.

Feature strips

1", 2" and 3" wide; 36" long.

Special sizes

Diagonal half tiles and irregular shapes can be supplied.

Installation:

Armstrong's Rubber Tile can be installed over new grade-level concrete subfloors and over all types of suspended subfloors.